


Warehouse Rockwool Sandwich Panel

Our Product Introduction

for more products please visit us on baodupanel.com

Basic Information

- Place of Origin: Hebei, China
- Brand Name: BAODU
- Certification: CE
- Model Number: Rockwool Sandwich Panel
- Minimum Order Quantity: Discussible
- Price: Reasonable
- Packaging Details: In general, for steel structure, we use the steel frame packing to keep goods not to be broken. For sandwich panel and color steel sheet, we use the plastic packing. If the clients need special packing will according to their requirements.
- Delivery Time: 15 days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 Square Meters per Day



Product Specification

- Product Name: Fireproof Rockwool Sandwich Panel With Polyurethane For Warehouse Fabhouse Roof And Wall
- Steel Thickness: 0.4mm-0.8mm
- Design Style: Modern
- Type: Rockwool Sandwich Panel With PU Edge
- Thickness: 50mm 75mm 80mm 100mm 125mm 150mm 200mm
- After-sale Service: Online Technical Support, Onsite Installation
- Usage: Construction Insulation Shop Outdoor Office
- Material: Rockwool
- Waterproof: Yes
- Advantage: Superior Fireproof-insulation, fire Proof, Light Weight & Easy To Install, Fireproof, Innovative



More Images





Product Description

Fireproof Rockwool Sandwich Panel With Polyurethane For Warehouse Fabhouse Roof And Wall

Product Description:

Baodu's Rockwool Sandwich Panel includes 3 layers: the external and internal is galvanized steel plate or aluminum plate., there are two kinds of core materials: one is pure rockwool panel without Pur or Pir edge, while the other is pure rockwool panel with Pur or Pir edge.

Rockwool or mineral wool panels are sandwich panels whose sheets are associated solidly with Rockwool protection.

These panels are subsequently exceptionally versatile composite panels that have both burden-bearing and protecting capacities.

The panel's protection is made of around 95 – 99 % liquid shake and dismantled into strings to acquire a sinewy structure. The strands are uniformly distributed to guarantee that the shear quality is kept steady.

Features:

- 1.The PU sealing not only can strength the connection but also can make sure the connection be more smooth. And Pu sealing also can reduce the thermal bridging situation in extremely cold area.
- 2.The hidden screw facade can prevent the rain or chemical corrosion so that improve the sandwich panel life , which also can make it more beautiful.
- 3.Dislocation double mortise and tenon joint can make sure the sandwich panel connection be more fasten and which also can prevent the rain goes back to the interior.
- 4.Double steel plates are used in the connection part which can improve sandwich panel wind-proof function without any nails.
- 5.Sponge bar are used in the connection part which can provide better airtightness and free from thermal bridging

Applications:

- 1.Industrial Facilities
- 2.Commercial Building
- 3.Social Construct
- 4.Power Plants

Technical Parameters:

Technical parameters of BAODU new model fireproof sandwich panel								
Allowable vertical load and thermal conductivity of BAODU new model fireproof rockwool roof sandwich panel (allowable deflection $\leq L/200$)								
S(mm)	W/m ² K	G(kg)	P=KN/m ²	0.60	0.80	1.00	1.20	1.50
50	0.75	15.53	L(m)	3.66	3.13	2.75	2.46	2.12
70	0.53	18.37	L(m)	4.90	4.22	3.73	3.35	2.91
100	0.41	21.21	L(m)	5.99	5.17	4.58	4.12	3.59
125	0.36	24.05	L(m)	6.91	5.96	5.28	4.79	4.14
150	0.31	26.88	L(m)	7.82	6.75	5.98	5.37	4.68
200	0.23	22.78	L(m)	9.65	8.33	7.38	6.62	5.77
Allowable vertical load and thermal conductivity of BAODU new model fireproof glasswool roof sandwich panel (allowable deflection $\leq L/200$)								
S(mm)	W/m ² K	G(kg)	P=KN/m ²	0.60	0.80	1.00	1.20	1.50
50	0.69	12.95	L(m)	3.74	3.23	2.86	2.57	2.23
70	0.47	14.50	L(m)	5.01	4.34	3.86	3.48	3.05
100	0.36	16.04	L(m)	6.21	5.32	4.73	4.28	3.75
125	0.34	17.06	L(m)	7.11	6.31	5.77	4.93	4.32
150	0.33	19.14	L(m)	8.00	6.94	6.18	5.58	4.89
200	0.30	22.78	L(m)	9.79	8.56	7.63	6.88	6.00

Customization:

Are you looking for a reliable Rockwool Sandwich Panel supplier? BAODU offers the best Rockwool Sandwich Panel with CE certification and reasonable price. Our Rockwool Sandwich Panel is mainly used for construction insulation, shop, outdoor office, etc. It is designed with modern style and has high density (100kg/m³). We also provide online technical support and onsite installation service for all of our customers.

Minimum Order Quantity: Discussible

Price: Reasonable

Packaging Details: In general, for steel structure, we use the steel frame packing to keep goods not to be broken. For sandwich panel and color steel sheet, we use the plastic packing. If the clients need special packing will according to their requirements.

Delivery Time: 15days

Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram

Supply Ability: 5000 Square Meters per Day

After-sale Service: Online Technical Support, Onsite Installation

Support and Services:

Rockwool Sandwich Panel Technical Support and Service

At Rockwool, we understand that your success depends on the quality of our product. That's why we provide top-notch technical support and service for our Rockwool Sandwich Panel. Our knowledgeable staff is available to answer any questions you may have about our product, and to provide assistance with installation, maintenance, and troubleshooting.

We are committed to providing exceptional customer service, and to ensuring that our customers receive the highest quality product. We have a comprehensive warranty program that covers the Rockwool Sandwich Panel for up to ten years. In addition, our technical support team is available 24 hours a day, 7 days a week, to answer any questions you may have about the product.

At Rockwool, we believe in providing our customers with the best possible experience. That's why we offer free, on-site installation and maintenance services. Our technicians are highly trained and experienced in the installation and maintenance of Rockwool Sandwich Panel.

If you have any questions or concerns about Rockwool Sandwich Panel, please don't hesitate to contact us. We look forward to providing you with the highest quality product and technical support.

Packing and Shipping:

Rockwool Sandwich Panel Packaging and Shipping

Rockwool Sandwich Panel products will be shipped in a timely manner. The Rockwool Sandwich Panel will be loaded onto pallets and secured with straps. Each pallet will be securely fastened for transportation, and will be labeled with the product name, size, weight, and other necessary information.

The Rockwool Sandwich Panel will be shipped via truck, train, or boat, depending on the customer's location. The customer will receive the shipment in a timely manner, and the delivery will be tracked for safety and convenience.

FAQ:

Q1. What is your advantages.

A1. As a high technology company in the construction material industry, we have our own professors team which has more than 10 people in Beijing related institution. And we also have the strict quality control in our production lines.

Q2. What is your payment term and delivery time?

A2. We accept the T/T or L/C. And the Ali trade assurance also be acceptable. As for the delivery time, we need make the production plan for each order. Usually, it will take 15-30 days after we confirm the order.

Q3. How about the sample order?

A3. We provide free samples, but you need pay the freight for it.



Baodu International Advanced Construction Material Co., Ltd.



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

No. 2, Yijin North Street, Daxing District, Beijing