

Insulated 50mm Eps Sandwich Panel High Performance For Building

Basic Information

Place of Origin: Hebei, ChinaBrand Name: BAODU

Model Number: EPS Sandwich Panel

 Minimum Order Quantity: Discussible

Quantity:Price:

\$5-Discussible

• Packaging Details: In general, for steel structure, we use the

steel frame packing to keep goods not to be broken . For sandwich panel and color steel sheet, we use the plastic packing . If the clients need special packing will according to

their requirements.

• Delivery Time: 15days

Payment Terms:
 L/C, D/A, D/P, T/T, Western Union,

MoneyGram

Supply Ability: 5000 Square Meters per Day



Product Specification

Product Name: Insulated High-Performance EPS Sandwich

Panel For Building

• Thermal-insulation: Yes

• Life Time: 15-30 Years

After-sales Service: Online Support, Video Technical Support

• Durability: High

• Density: 8kg/M3 EPS

• Fireproof: Yes

Application: Various Roofs And Walls Of The Large Size

Factory Warehouse Exhibition Halls Etc

• Highlight: Fireproof 50mm eps sandwich panel,

building 50mm eps sandwich panel, insulated 50mm eps sandwich panel

Insulated High-Performance EPS Sandwich Panel for Building

Product Description:

EPS Sandwich Panel: Thermal Insulation Soundproof Exterior

EPS Sandwich Panel is the perfect product for various roofs and walls of large size factory warehouses, exhibition halls, etc. It is made from an exterior of EPS foam sandwich panel, providing excellent thermal insulation and soundproof performance. This product's life time is 15-30 years, with a roof width of 960mm and wall width of 950mm.

The sandwich panel is composed of two layers of color steel sheets and a middle layer of EPS foam. It is light in weight, easy to install, and provides excellent water resistance, corrosion resistance, fire resistance, and heat preservation performance. The EPS roof panel sandwich is not only highly efficient, but also helps to reduce the cost of construction.

EPS Sandwich Panel is an ideal solution for soundproofing and thermal insulation needs, providing excellent durability and resistance to adverse environmental conditions. Whether you are looking for a roof panel solution or a wall panel solution, EPS Sandwich Panel is the perfect product for you.

Features:

Product Name: EPS Sandwich Panel

Thermal-insulation: Yes

Length: Customized

After-sales Service: Online Support, Video Technical Support

Type: Sandwich Panel
EPS roof panel sandwich

High durability

Fire resistant

Lightweight

Good insulation

Technical Parameters:

Product	Eps Sandwich Panel
Width	50mm/75mm/100mm/150mm/200mm
Top plate/Bottom plate	0.4-1mm
Effective Width	950mm(Wall);960mm(Roof)
Length	Less than 11.8m (For transport need)
Density	8kg/M3 EPS
Color	Standard color :White, Red, Blue,Ral
Adavantages	Light weight; waterproof; Good insulation performance with competitive price
Application	various roofs and walls of the large size factory warehouse, exhibition halls, etc.
Life time	15-30 years

Applications:

Pre engineered, Pre Painted Galvalume Steel Sheets

Flexible features and modifications designed as per client requirements

High load bearing capacity

Specifications can be customized to meet clients' requirements

Light weight EPS insulated panels that are easy and quick to install

EPS Insulated Panels provide heat and sound insulation

Water, fire and corrosion resistant

Highly energy efficient EPS Insulated Panels

Low maintenance, long lasting value

Baodu is a one-stop solution for EPS Panel Systems. Our products are used to build EPS Panel homes with EPS Sandwich wall panel and EPS Roof Panels.

Support and Services:

EPS Sandwich Panel technical support and service includes:

Installation instructions and support

Product warranty

Technical advice and troubleshooting

Replacement parts

Training and safety courses

Packing and Shipping:





Baodu International Advanced Construction Material Co., Ltd.



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing