



Moisture Resistant Acoustic Sandwich Panel Sound Insulation Oem

Our Product Introduction

for more products please visit us on baodupanel.com

Basic Information

- Place of Origin: Hebei,China
- Brand Name: BAODU
- Certification: CE
- Model Number: Acoustic Sandwich Panel
- Minimum Order Quantity: Discussible
- Price: Reasonable
- Packaging Details: In general, for steel structure , we use the steel frame packing to keep goods not to be broken . For sandwich panel and color steel sheet, we use the plastic packing . If the clients need special packing will according to their requirements.
- Delivery Time: 15days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 Square Meters per Day



Product Specification

- Product Name: Moisture Resistant Sound Insulation Panel
For Acoustic Insulation Sandwich Panel
Density 60-200kg/m3
- MOQ: 500 Square Meters
- OEM / ODM: Available
- Durability: High
- After-sale Service: Online Technical Support, Onsite Installation, Onsite Training, Onsite Inspection, Free Spare Parts, Return And Replacement
- Soundproof: Yes
- Color: RAL;Customized
- Heat Insulation: Yes
- Length: Customized
- Word: Sound Insulation Panel For Acoustic

Product Description

Moisture Resistant Sound Insulation Panel for Acoustic Insulation Sandwich Panel Density

Product Description:

Acoustic Sandwich Panel

Our Acoustic Sandwich Panel is a sound insulation panel composed of two-sided non-perforated steel plates and sound-absorbing core material. It is widely used in interior and exterior walls, ceilings, roofs, and floors, providing excellent sound insulation and noise reduction effects. Our Acoustic Sandwich Panel has a warranty of over 50 years, and is available for OEM/ODM. It has a density range of 60-200kg/m3, and is moisture-resistant.

Our Acoustic Sandwich Panel is the perfect solution for sound insulation and noise reduction. It can be used in a variety of applications such as walls, ceilings, roofs, and floors. It is lightweight, easy to install, and provides excellent sound insulation and noise reduction. In addition, it is highly durable and has a long warranty of over 50 years.

Our Acoustic Sandwich Panel is perfect for those looking for high-quality sound insulation and noise reduction. It is available for OEM/ODM and has a wide range of density from 60-200kg/m3. It is also moisture-resistant, making it ideal for a variety of applications.

Features:

Product Name: Acoustic Sandwich Panel

Steel Thickness: 0.4-0.8mm

Durability: High

Density: 60-200kg/m3

Usage: Construction Insulation; Building And Other Equipments Thermal Insulation

Material: Rockwool Glasswool

Special Feature: Sound Insulation Panel, Acoustic Sandwich Panel, Sound Absorbing Panel

Technical Parameters:

TESTING DATA OF BAODU ACOUSTICAL SANDWICH PANEL											
No.	REPORT ID	TESTING ORGANIZATION	PRODUCT NAME	MATERIAL STRUCTURE (BOTTOM-TO-TOP)	TOTAL THICKNESS (MM)	METAL THICKNESS (MM)	ROCKWOOL DENSITY (kg/m ³)	CEMENT THICKNESS (MM)	DAMPING THICKNESS (MM)	SOUND ABSORBING DATA (NRC)	SOUND INSULATION (Db)
TESTING STANDARD: GB/T 19889.3-2005/ISO140-3:1995 Acoustics - Measurement of sound insulation in buildings and building elements - Part 3: Laboratory measurement of airborne sound insulation of building elements;											
1	KS-2021-09101	ACOUSTICAL MEASURING & TESTING STATION, CHINESE ACADEMY OF SCIENCE	SOUND INSULATION	STEEL PLATE +CEMENT BOARD+ROCKWOOL +STEEL PLATE	100	0.6/0.5	120	10	/	/	38
2	KS-2021-09102			STEEL PLATE +DAMPING+ROCKWOOL +STEEL PLATE	100	0.6/0.5	120	/	3	/	37
3	KS-2021-09103			STEEL PLATE +CEMENT BOARD+DAMPING +ROCKWOOL +STEEL PLATE	100	0.5/0.5	120	10	3	/	39
4	KS-2021-09104			STEEL PLATE +DAMPING+CEMENT BOARD +ROCKWOOL +STEEL PLATE	100	0.5/0.5	120	10	3	/	41
5	KS-2021-09105			STEEL PLATE +DAMPING+ROCKWOOL +DAMPING +STEEL PLATE	100	0.5/0.5	120	/	3	/	37
6	KS-2021-09106			STEEL PLATE +CEMENT+ROCKWOOL +DAMPING +STEEL PLATE	100	0.5/0.5	120	4	3	//	37

No.	TESTING REPORT ID	TESTING ORGANIZATION	PRODUCT NAME	TESTING STANDARD	STAINLESS STEEL PLATE	ROCKWOOL	DAMPING	CEMENT BOARD	STEEL PLATE	INSULATION	SOUND ABSORPTION			
7	KS-2021-09107	TESTING ORGANIZATION	PRODUCT NAME	TESTING STANDARD: GB/T20247-2006 Iso 354:2003 Acoustics reverberation room sound absorption measurement	STEEL PLATE +DAMPING+CEMENT BOARD	100	0.5/0.5	120	4	2	38			
8	KS-2021-09108				STEEL PLATE +CEMENT BOARD +DAMPING+ROCKWOOL +DAMPING+STEEL PLATE	100	0.5/0.5	120	4	2	38			
9	KS-2021-09109				STAINLESS STEEL PLATE +ROCKWOOL +STAINLESS STEEL PLATE	100	0.5/0.5	120	/	/	34			
10	KS-2021-REPORT 09110				STEEL PLATE +ROCKWOOL +STEEL PLATE	100	0.6/0.6	120	/	/	35			
11	KS-2021-09111				STEEL PLATE +ROCKWOOL +STEEL PLATE	100	0.6/0.6	120	/	/	35			
12	KS-2021-09112				ACOUSTICAL MEASURING & TESTING STATION, CHINESE ACADEMY OF SCIENCE	SOUND ABSORPTION	PERFORATED ALU PLATE +GLASS FIBRE+GLASSWOOL +STEEL PLATE	80	0.6/0.6	64	/	/	0.95	
1	KS-2021-09101				ACOUSTICAL MEASURING & TESTING STATION, CHINESE ACADEMY OF SCIENCE	SOUND INSULATION	TESTING STANDARD: 1: GB/T20247-2006 Iso 354:2003 Acoustics reverberation room sound absorption measurement; 2: GB/T 19889.3-2005/ISO140-3:1995 Acoustics - Measurement of sound insulation in buildings and building elements - Part 3: Laboratory measurement of airborne sound insulation of building elements;	STEEL PLATE +CEMENT BOARD+ROCKWOOL +STEEL PLATE	100	0.6/0.5	120	10	/	38
2	KS-2021-09102							STEEL PLATE +DAMPING+ROCKWOOL +STEEL PLATE	100	0.6/0.5	120	/	3	37
3	KS-2021-09103							STEEL PLATE +CEMENT BOARD+DAMPING +ROCKWOOL +STEEL PLATE	100	0.5/0.5	120	10	3	39
4	KS-2021-09104							STEEL PLATE +DAMPING+CEMENT BOARD +ROCKWOOL	100	0.5/0.5	120	10	3	41
5	KS-2021-09105							STEEL PLATE +DAMPING+ROCKWOOL +STEEL PLATE	100	0.5/0.5	120	/	3	37
6	KS-2021-09106	STEEL PLATE +CEMENT BOARD +DAMPING+ROCKWOOL	100	0.5/0.5				120	4	2	38			
7	KS-2021-09107	STEEL PLATE +CEMENT BOARD +DAMPING+ROCKWOOL +STEEL PLATE	100	0.5/0.5				120	4	2	38			
8	KS-2021-09108	STEEL PLATE +CEMENT BOARD +DAMPING+ROCKWOOL +DAMPING+STEEL PLATE	100	0.5/0.5				120	4	2	38			
9	KS-2021-09109	STAINLESS STEEL PLATE +ROCKWOOL +STAINLESS STEEL PLATE	100	0.5/0.5				120	/	/	34			
10	KS-2021-REPORT 09110	STEEL PLATE +ROCKWOOL +STEEL PLATE	100	0.6/0.6				120	/	/	35			
11	KS-2021-09111	STEEL PLATE +ROCKWOOL +STEEL PLATE	100	0.6/0.6				120	/	/	35			
12	KS-2021-09112	ACOUSTICAL MEASURING & TESTING STATION, CHINESE ACADEMY OF SCIENCE	SOUND ABSORPTION	PERFORATED ALU PLATE +GLASS FIBRE+GLASSWOOL +STEEL PLATE	80	0.6/0.6	64	/	/	0.95				

Applications: BAODU Acoustic Sandwich Panel is a perfect choice for sound insulation and sound absorption. It is made of fireproof material and has excellent soundproof performance. This product is widely used in construction insulation, building and other equipments thermal insulation, and has a minimum order quantity of 100 square meters. It comes with a reasonable price and a warranty of more than 50 years. The surface of this product is pre-painted, and it can provide excellent sound insulation and sound absorption with a soundproof effect. The delivery time for this product is 15 days and payment terms includes L/C, D/A, D/P, T/T, Western Union, MoneyGram. The packaging of this product is also very secure; for steel structure, it uses steel frame packing to keep the goods from being damaged, and for sandwich panel and color steel sheet, it uses plastic packing. BAODU Acoustic Sandwich Panel also offers after-sale service such as online technical support, onsite installation, onsite training, onsite inspection, free spare parts, return and replacement. With a supply ability of 5000 Square Meters per Day, this product is guaranteed to be a reliable solution for sound insulation and sound absorption.

Support and Services: We provide technical support and service for our Acoustic Sandwich Panel product. Our technical support team is available to answer any questions you may have about the product. We also provide installation and maintenance services to ensure your Acoustic Sandwich Panel is functioning properly. Additionally, we provide spare parts and replacement parts if any component of the product needs to be replaced. If you have any questions or need assistance with the product, please do not hesitate to contact us.

Packing and Shipping:





FAQ:

- Q. What is the Brand Name of Acoustic Sandwich Panel?
A. The Brand Name of Acoustic Sandwich Panel is BAODU.
- Q. What is the Model Number of Acoustic Sandwich Panel?
A. The Model Number of Acoustic Sandwich Panel is Acoustic Sandwich Panel.
- Q. Where is the Place of Origin of Acoustic Sandwich Panel?
A. The Place of Origin of Acoustic Sandwich Panel is Hebei,China.
- Q. What is the Minimum Order Quantity of Acoustic Sandwich Panel?
A. The Minimum Order Quantity of Acoustic Sandwich Panel is Discussible.
- Q. What is the Price of Acoustic Sandwich Panel?
A. The Price of Acoustic Sandwich Panel is Reasonable.



Baodu International Advanced Construction Materials Co., Ltd.

+86 13717927965

chunlei.song@baodu.com

baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing