



High Performance Ral Color Rockwool Acoustic Panels Onsite Installation

Our Product Introduction

for more products please visit us on baodupanel.com

Basic Information

- Place of Origin: Hebei,China
- Brand Name: BAODU
- Certification: CE
- Model Number: Rockwool Sandwich Panel
- Minimum Order Quantity: 200-500 square meters
- Price: Reasonable
- Packaging Details: In general, for steel structure , we use the steel frame packing to keep goods not to be broken . For sandwich panel and color steel sheet, we use the plastic packing . If the clients need special packing will according to their requirements.
- Delivery Time: 15days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 Square Meters per Day



Product Specification

- Type: PU Sealing Rockwool Sandwich Panel
- Waterproof: Yes
- MOQ: 200-500 Square Meters
- Keyword: Rockwool Sandwich Panel
- Advantage: Superior Fireproof-insulation Fire Proof Light Weight&Easy To Install Fireproof Innovative Technology
- Width: 1000mm
- Application: Wall Building Warehouse Roofing Wall And Roof
- Design Style: Modern
- Highlight: **high performance rockwool acoustic panels, ral color rockwool acoustic panels, onsite installation sandwich panel rockwool**

Product Description:

PU Sealing Rockwool Sandwich Panel

Our PU Sealing Rockwool Sandwich Panel is a top-of-the-line insulated panel designed for modern construction needs. Made with high density rockwool core and sealed with PU, this sandwich panel offers excellent thermal insulation, fire resistance, and durability.

High Quality: Our Rockwool Sandwich Panel is made with premium materials to ensure superior quality and performance.

Excellent Thermal Insulation: With a density of 90-150kg/m³, our sandwich panel offers exceptional thermal insulation, keeping your building warm in winter and cool in summer.

Fire Resistant: The rockwool core of our panel is non-combustible, making it a safe choice for any building.

Modern Design: Our PU Sealing Rockwool Sandwich Panel has a sleek and modern design, perfect for contemporary buildings.

Easy Installation: Our panels are lightweight and easy to install, saving you time and money on construction.

After-sale Service

We understand the importance of after-sale service and are committed to providing our customers with the best support. We offer online technical support for any inquiries you may have and our team is also available for onsite installation assistance.

Applications

Our Rockwool Sandwich Panel is suitable for various applications, including:

[Residential buildings](#)

[Commercial buildings](#)

[Industrial buildings](#)

[Cold storage](#)

[And more](#)

Contact Us

Get in touch with us today to learn more about our PU Sealing Rockwool Sandwich Panel and how it can benefit your construction project. Our team will be happy to assist you with any questions you may have.

Features:

[Product Name: Rockwool Sandwich Panel](#)

[After-sale Service:](#)

[Online Technical Support](#)

[Onsite Installation](#)

[Color: RAL Color](#)

[Customized](#)

[Type: PU Sealing Rockwool Sandwich Panel](#)

[MOQ: 200-500 Square Meters](#)

[Usage:](#)

[Construction Insulation](#)

[Shop Outdoor Office](#)

[Key Features:](#)

[High-quality Rockwool Sandwich Board](#)

[Excellent insulation performance with Rockwool Composite Panels](#)

[Durable and long-lasting Rockwool Insulated Board](#)

[Customizable colors to suit different project needs](#)

[Easy and convenient installation with PU sealing](#)

Technical Parameters:

Rockwool Sandwich Panel Technical Parameters

| Technical parameters of BAODU new model fireproof sandwich panel | | | | | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|-------|---------------------|------|------|------|------|------|
| Allowable vertical load and thermal conductivity of BAODU new model fireproof rockwool roof sandwich panel (allowable deflection $\leq L/200$) | | | | | | | | |
| S(mm) | W/m ² K | G(kg) | P=KN/m ² | 0.60 | 0.80 | 1.00 | 1.20 | 1.50 |
| 50 | 0.75 | 15.53 | L(m) | 3.66 | 3.13 | 2.75 | 2.46 | 2.12 |
| 70 | 0.53 | 18.37 | L(m) | 4.90 | 4.22 | 3.73 | 3.35 | 2.91 |
| 100 | 0.41 | 21.21 | L(m) | 5.99 | 5.17 | 4.58 | 4.12 | 3.59 |
| 125 | 0.36 | 24.05 | L(m) | 6.91 | 5.96 | 5.28 | 4.79 | 4.14 |
| 150 | 0.31 | 26.88 | L(m) | 7.82 | 6.75 | 5.98 | 5.37 | 4.68 |
| 200 | 0.23 | 22.78 | L(m) | 9.65 | 8.33 | 7.38 | 6.62 | 5.77 |
| Allowable vertical load and thermal conductivity of BAODU new model fireproof glasswool roof sandwich panel (allowable deflection $\leq L/200$) | | | | | | | | |
| S(mm) | W/m ² K | G(kg) | P=KN/m ² | 0.60 | 0.80 | 1.00 | 1.20 | 1.50 |
| 50 | 0.69 | 12.95 | L(m) | 3.74 | 3.23 | 2.86 | 2.57 | 2.23 |
| 70 | 0.47 | 14.50 | L(m) | 5.01 | 4.34 | 3.86 | 3.48 | 3.05 |
| 100 | 0.36 | 16.04 | L(m) | 6.21 | 5.32 | 4.73 | 4.28 | 3.75 |
| 125 | 0.34 | 17.06 | L(m) | 7.11 | 6.31 | 5.77 | 4.93 | 4.32 |
| 150 | 0.33 | 19.14 | L(m) | 8.00 | 6.94 | 6.18 | 5.58 | 4.89 |
| 200 | 0.30 | 22.78 | L(m) | 9.79 | 8.56 | 7.63 | 6.88 | 6.00 |

Applications:

Rockwool Sandwich Panel

Brand Name: BAODU

Model Number: Rockwool Sandwich Panel

Place of Origin: Hebei, China

Certification: CE

Minimum Order Quantity: 200-500 square meters

Price: Reasonable

Packaging Details: In general, for steel structure, we use the steel frame packing to keep goods not to be broken. For sandwich panel and color steel sheet, we use the plastic packing. If the clients need special packing, we will according to their requirements.

Delivery Time: 15 days

Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram

Supply Ability: 5000 Square Meters per Day

Description

Our Rockwool Sandwich Panel is a type of thermal insulated panel made from two layers of color steel sheet and a layer of rockwool insulation material in between. It is designed to provide excellent thermal insulation, fire resistance, and soundproofing capabilities for various building structures.

Features

Thermal insulation: The rockwool insulation material has a low thermal conductivity, making it an excellent choice for maintaining a comfortable indoor temperature in all seasons.

Fireproof: The rockwool core material has a high melting point and does not release toxic gases when exposed to fire, making it a safe option for buildings.

Soundproof: The dense structure of the rockwool material helps to reduce outside noise, creating a quieter and more comfortable indoor environment.

Energy saving: The excellent thermal insulation and fireproof properties of our Rockwool Sandwich Panel can help reduce energy consumption and save on heating and cooling costs.

Durability: The high-quality color steel sheets and rockwool insulation material provide a strong and durable structure that can withstand harsh weather conditions.

Tags

Rockwool Insulated Sandwich Board, Rockwool Insulated Board, Rockwool Composite Panels, Thermal Insulation, Fireproof, Soundproof, Energy Saving, Durability

Applications

Our Rockwool Sandwich Panel is suitable for various building structures, including industrial workshops, warehouses, commercial buildings, and residential buildings. It can also be used for interior and exterior wall partitions, roofs, and ceilings.

Details

Product Name: PU Sealing Rockwool Sandwich Panel

MOQ: 200-500 square meters

Color: RAL Color: Customized

Design Style: Modern

Length: Customized

Scene

Our Rockwool Sandwich Panel can be seen in various construction projects, including industrial buildings, commercial buildings, and residential buildings. It is also suitable for interior and exterior wall constructions, creating a modern and comfortable living or working

space.

Customization:

Customized Service for BAODU Rockwool Sandwich Panel

Brand Name: BAODU

Model Number: Rockwool Sandwich Panel

Place of Origin: Hebei, China

Certification: CE

Minimum Order Quantity: 200-500 square meters

Price: Reasonable

Packaging Details: In general, for steel structure, we use steel frame packing to protect the goods from damage. For sandwich panel and color steel sheet, we use plastic packing. Customized packaging is available upon request.

Delivery Time: 15 days

Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram

Supply Ability: 5000 Square Meters per Day

Width: 1000mm

Design Style: Modern

After-sale Service: Online Technical Support, Onsite Installation

Color: RAL Color; Customized

Application: Wall Building Warehouse Roofing Wall and Roof

Key Features:

- High-quality Rockwool Sandwich Board
- Excellent thermal and sound insulation properties
- Competitive Rockwool Insulated Panels price
- Customized sizes, colors, and designs
- Suitable for various applications like wall building, warehouse roofing, and wall and roof insulation
- Modern design style
- Easy to install with online technical support and onsite installation service
- CE certified for quality assurance
- Minimum order quantity of 200-500 square meters
- Reasonable price for cost-effectiveness
- Fast delivery within 15 days
- Flexible payment terms including L/C, D/A, D/P, T/T, Western Union, and MoneyGram
- Supply ability of 5000 square meters per day
- Available in RAL colors or customized options

Support and Services:

Technical Support and Services for Rockwool Sandwich Panel

Our Rockwool Sandwich Panel is a high-quality and durable building material that offers excellent thermal and acoustic insulation properties. To ensure that our customers have a seamless experience with our product, we provide comprehensive technical support and services.

1. Customized Solutions

We understand that every project has unique requirements, which is why we offer customized solutions for our Rockwool Sandwich Panel. Our team of experienced engineers will work closely with you to understand your project needs and provide tailor-made solutions that meet your specific requirements.

2. Technical Consultation

Our team of experts is available to provide technical consultation and support throughout the entire process, from product selection to installation. We can assist with design recommendations, product specifications, and installation guidelines to ensure that your project is successful.

3. Quality Control

At every stage of the production process, our Rockwool Sandwich Panel undergoes strict quality control measures to ensure that it meets our high standards. This ensures that our customers receive a top-quality product that meets all necessary building codes and standards.

4. After-Sales Services

We value our customers and strive to provide excellent after-sales services. In the rare event of any issues with our product, our dedicated team will provide prompt and efficient solutions to resolve the issue and ensure your satisfaction.

5. Installation Support

We provide detailed installation guidelines and support to ensure that our Rockwool Sandwich Panel is installed correctly and efficiently. Our team can also provide on-site training and supervision if required.

Choose our Rockwool Sandwich Panel for your next project and experience our superior technical support and services.

Contact us today for more information.

Packing and Shipping:

Rockwool Sandwich Panel Packaging and Shipping



FAQ:

Q: What is the brand name of this product?

A: The brand name of this product is BAODU.

Q: What is the model number of this product?

A: The model number of this product is Rockwool Sandwich Panel.

Q: Where is this product manufactured?

A: This product is manufactured in Hebei, China.

Q: Is this product certified?

A: Yes, this product is certified with CE.

Q: What is the minimum order quantity for this product?

A: The minimum order quantity for this product is 200-500 square meters.

Q: What is the price range for this product?

A: The price for this product is reasonable.

Q: How is this product packaged?

A: In general, for steel structure, we use the steel frame packing to keep goods not to be broken. For sandwich panel and color steel sheet, we use the plastic packing. If the clients need special packing, we will follow their requirements.

Q: What is the estimated delivery time for this product?

A: The estimated delivery time for this product is 15 days.

Q: What are the payment terms for purchasing this product?

A: The payment terms for this product include L/C, D/A, D/P, T/T, Western Union, and MoneyGram.

Q: What is the supply ability for this product?

A: The supply ability for this product is 5000 square meters per day.



Baodu International Advanced Construction Material Co., Ltd.



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing