


50-200mm Pu Insulation Polyurethane Sandwich Panels With Customizable Color And Surface

Our Product Introduction

for more products please visit us on baodupanel.com

Basic Information

- Place of Origin: Hebei,China
- Brand Name: BAODU
- Certification: CE
- Model Number: Polyurethane Sandwich Panel
- Minimum Order Quantity: Discussible
- Price: Reasonable
- Packaging Details: In general, for steel structure , we use the steel frame packing to keep goods not to be broken . For sandwich panel and color steel sheet, we use the plastic packing . If the clients need special packing will according to their requirements.
- Delivery Time: 15days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 Square Meters per Day



Product Specification

- Type: Polyurethane Sandwich Panel
- Keyword: ROOF PANEL
- Thickness: 50mm-200mm,etc
- Steel Thickness: 0.4mm-0.8mm
- Moistureproof: Yes
- Surface: Customized
- Color: RAL Color;Customized
- Design Style: Modern
- Highlight: **200mm pu insulation polyurethane sandwich panels**
,
Customizable Color insulation pu sandwich panels
,
50mm pu insulation polyurethane sandwich

50-200mm Pu insulation polyurethane sandwich panels with Customizable Color and Surface

Product Description:

Our Pu insulation polyurethane sandwich panel is designed to provide superior thermal insulation while also offering excellent soundproofing capabilities. This makes it an ideal choice for a wide range of applications, including commercial buildings, industrial facilities, and even residential homes.

With a width of 1000mm, these polyurethane sandwich panels are easy to install and can be customized to meet your specific needs. They are available in a wide range of colors, including RAL colors, so you can choose the perfect match for your project.

The density of our polyurethane sandwich panel ranges from 40-42kg/m³, ensuring exceptional thermal insulation performance. This density also helps to keep the panels lightweight and easy to handle during installation.

In addition to their exceptional insulation and soundproofing capabilities, our sandwich panels polyurethane are also backed by our online technical support after-sale service. This means that if you have any questions or concerns about your polyurethane sandwich panel, our team of experts is always available to help.

Overall, if you're looking for a high-quality, reliable insulation solution, our polyurethane sandwich panel product is an excellent choice. With exceptional thermal insulation, soundproofing capabilities, and a range of customizable options, these panels are the perfect fit for any project.

Features:

Product Name: Polyurethane Sandwich Panel

Surface: Customized

Design Style: Modern

After-sale Service: Online Technical Support

Price: Reasonable

Thickness: 50mm-200mm, etc.

PU Roof Wall Sandwich Panel, Sandwich Panels Polyurethane, Pu insulation polyurethane sandwich panel

Technical Parameters:

Polyurethane Sandwich Panel	Sandwich Panels Polyurethane
Surface	Customized
Price	Reasonable
Design Style	Modern
Width	1000mm
After-sale Service	Online Technical Support
Length	Customizable According To Customer Needs
Thickness	50mm-200mm,etc
Keyword	11
Soundproof	Yes
Density	40-42kg/m ³
Polyurethane Sandwich Wall Roof Panel	

Applications:

The Polyurethane Sandwich Wall Roof Panel can be used in a variety of applications, including roofing, wall cladding, and cold storage. These panels are widely used in commercial, industrial, and residential buildings. The panels can be customized to meet the specific requirements of the building project, including the thickness, width, and length of the panel.

BAODU Polyurethane Sandwich Wall Roof Panel is manufactured in Hebei, China, and is CE certified. The minimum order quantity is discussible, and the price is reasonable. The packaging details for steel structures include steel frame packing to prevent goods from breaking. The sandwich panel and color steel sheet are packed in plastic. Special packing is available upon request.

The delivery time for BAODU Polyurethane Sandwich Wall Roof Panel is 15 days, and the payment terms include L/C, D/A, D/P, T/T, Western Union, and MoneyGram. The supply ability is 5000 square meters per day. The panels are available in various thicknesses, ranging from 50mm to 200mm, and are moisture-proof.

BAODU Polyurethane Sandwich Wall Roof Panel is a keyword used for these high-quality building materials. These panels are lightweight and easy to install, making them ideal for a wide range of applications. PU insulation polyurethane sandwich panel is another keyword that reflects the insulation properties of these panels.

After-sale service for BAODU Polyurethane Sandwich Wall Roof Panel includes online technical support to ensure that the panels are installed correctly and to the customer's satisfaction.

Customization:

Our packaging details vary depending on the product. For steel structures, we use steel frame packing to prevent damage. For sandwich panels and color steel sheets, we use plastic packing. We can also provide special packaging upon request. Delivery time is typically 15 days and we accept various payment methods including L/C, D/A, D/P, T/T, Western Union, and MoneyGram. We have the ability to supply up to 5000 Square Meters per day.

Our panels come in a modern design style with customizable surface options. The steel thickness ranges from 0.4mm to 0.8mm, providing durability and strength. The keyword for this product is 11.

Support and Services:

Polyurethane sandwich panels are durable, lightweight, and energy-efficient construction materials suitable for use in a variety of applications. Our technical support and services for this product include:

- Assistance with design and installation of polyurethane sandwich panels in accordance with industry standards and best practices
- Guidance on selecting the appropriate panel thickness, insulation value, and other specifications to meet project requirements
- Recommendations for proper handling, storage, and maintenance of polyurethane sandwich panels to ensure optimal performance and longevity
- Troubleshooting and resolution of any issues or concerns related to the use of polyurethane sandwich panels
- Training and education on the benefits, features, and applications of polyurethane sandwich panels for building and construction projects

Packing and Shipping:

Product Packaging:

The Polyurethane Sandwich Panels are packed in bundles and wrapped with plastic sheets for protection against dust, moisture and damage during transportation. Each bundle contains panels of the same size and thickness. The bundles are then loaded onto wooden pallets for easy handling and stacking.

Shipping:

The Polyurethane Sandwich Panels are shipped by sea or land transportation, depending on the destination. We ensure that the panels are loaded properly onto the shipping containers or trucks to prevent any damages during transit. We provide all the necessary shipping documentation and tracking information to our customers for smooth and hassle-free delivery.

FAQ:

Q: What is the brand name of the product?

A: The brand name of the product is BAODU.

Q: What is the model number of the product?

A: The model number of the product is Polyurethane Sandwich Panel.

Q: Where is the product made?

A: The product is made in Hebei, China.

Q: What certifications does the product have?

A: The product is certified with CE.

Q: What are the payment terms?

A: The payment terms are L/C, D/A, D/P, T/T, Western Union, and MoneyGram.

Q: What is the minimum order quantity?

A: The minimum order quantity is discussible.

Q: What is the price of the product?

A: The price of the product is reasonable.

Q: What are the packaging details?

A: In general, for steel structure, we use the steel frame packing to keep goods not to be broken. For sandwich panel and color steel sheet, we use the plastic packing. If the clients need special packing, we will according to their requirements.

Q: What is the delivery time?

A: The delivery time is 15 days.

Q: What is the supply ability of the product?

A: The supply ability of the product is 5000 square meters per day.



Baodu International Advanced Construction Material Co., Ltd.



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing