

PIR/PUR/PU polyurethane sandwich panel for farm/poultry house/shrimp pond

Our Product Introduction

for more products please visit us on baodupanel.com

Basic Information

- Place of Origin: Hebei,China
- Brand Name: BAODU
- Certification: CE
- Model Number: Polyurethane Sandwich Panel
- Minimum Order Quantity: Discussible
- Price: Reasonable
- Packaging Details: In general, for steel structure , we use the steel frame packing to keep goods not to be broken . For sandwich panel and color steel sheet, we use the plastic packing . If the clients need special packing will according to their requirements.
- Delivery Time: 15days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 Square Meters per Day



Product Specification

- Product Name: PIR/PUR/PU Polyurethane Sandwich Panel For Farm/poultry House/shrimp Pond
- Soundproof: Yes
- Length: Customizable According To Customer Needs
- Thickness: 50mm-200mm,etc
- Steel Thinckness: 0.4mm-0.8mm
- Surface: Customized
- After-sale Service: Online Technical Support
- Heat Insulation: Yes
- Highlight: **Heat Insulated Polyurethane Sandwich Panels, Soundproof Polyurethane Sandwich Panels, Customizable Polyurethane Sandwich Panels**

PIR/PUR/PU polyurethane sandwich panel for farm/poultry house/shrimp pond

Product Description:

The Polyurethane Sandwich Wall Roof Panel has a steel thickness of 0.4mm-0.8mm, making it durable and long-lasting. The panel is made with high-quality materials, ensuring excellent performance and resistance to wear and tear.

One of the key features of this panel is its Pu insulation polyurethane sandwich panel. This insulation provides excellent thermal insulation, making it ideal for use in various applications, including cold storage rooms, clean rooms, and industrial buildings. It helps maintain a stable and comfortable temperature, reducing energy costs in the long run.

The Polyurethane Sandwich Wall Roof Panel is easy to install, saving time and money in the construction process. It is also lightweight, making it easy to transport and handle. The panel is suitable for both roof and wall applications, and it can be used for new construction or retrofitting existing structures.

This product is named 10, and it is a popular choice for architects, builders, and contractors. It meets all the necessary building codes and standards, ensuring safety and reliability. It is also environmentally friendly, as it is made with recyclable materials and does not release harmful chemicals or gases.

In summary, the Polyurethane Sandwich Wall Roof Panel is a high-quality product that offers excellent thermal insulation, durability, and versatility. Its modern design style makes it ideal for various construction projects, and its easy installation and handling make it a cost-effective solution. The 10 product name is well-known in the industry and is a trusted choice for any building project.

Technical Parameters:

Polyurethane Sandwich Panel	
Type	Polyurethane Sandwich Wall Roof Panel
Material	Polyurethane
Density	40-42 kg/m3
Width	1000mm
Length	Customizable According To Customer Needs
Heat Insulation	Yes
Soundproof	Yes
After-sale Service	Online Technical Support
Price	Reasonable

Applications:

BAODU Polyurethane Sandwich Wall Roof Panel is reasonably priced and comes with customizable surface options. The product has a width of 1000mm and a density of 40-42kg/m3, making it an ideal material for construction purposes. The polyurethane sandwich panel is made using premium quality materials, ensuring that it is highly durable and long-lasting.

The Polyurethane Sandwich Wall Roof Panel is versatile and can be used in various applications. It is ideal for use in the construction of commercial buildings, warehouses, and factories. The polyurethane sandwich panel can also be used in the construction of cold storage rooms, clean rooms, and other specialized rooms that require thermal insulation and soundproofing.

BAODU Polyurethane Sandwich Wall Roof Panel can be used in different scenarios. It can be used in the construction of walls, roofs, and floors, as it provides excellent insulation and has a high load-bearing capacity. The product is also suitable for use in the construction of prefabricated buildings, as it is easy to install and can be customized to meet specific design requirements.

The packaging of the polyurethane sandwich panel is done in a way that ensures that the product is not damaged during transportation. For steel structure, steel frame packing is used to keep the goods intact. For sandwich panel and color steel sheet, plastic packing is used. Special packaging is also available on request. The delivery time for the product is 15 days, and payment can be made through L/C, D/A, D/P, T/T, Western Union, or MoneyGram. The product has a supply ability of 5000 Square Meters per Day.

Customization:

BAODU offers customized Polyurethane Sandwich Wall Roof Panel to meet your specific needs. Our Polyurethane Sandwich Panel is made from high-quality polyurethane material and is available in various thicknesses ranging from 50mm to 200mm. With a density of 40-42kg/m3, our Sandwich Panels Polyurethane are moistureproof and provide excellent thermal insulation.

The surface of our Polyurethane Sandwich Panel can be customized to suit your requirements. Our panels are ideal for use in steel structures and come with steel frame packing to prevent any damage during transportation. For sandwich panel and color steel sheet, we use plastic packing. However, we can accommodate special packaging requests from clients.

Our Polyurethane Sandwich Panel is CE certified and has a reasonable price. The minimum order quantity is discussible, and we can deliver up to 5000 square meters per day. We offer flexible payment terms, including L/C, D/A, D/P, T/T, Western Union, and MoneyGram. Our Polyurethane Sandwich Panel is manufactured in Hebei, China, and we can deliver within 15 days of placing the order.

Support and Services:

Polyurethane Sandwich Panel is a high-quality building material that offers excellent thermal insulation and mechanical properties. Our product technical support and services include:

- Technical specifications and product information
- Assistance with panel installation and construction details
- Customized panel design and engineering support

- Quality control and testing services
- After-sales service and maintenance support

Our team of experts is dedicated to providing you with the best possible support and service throughout the entire product lifecycle.

Packing and Shipping:

Product Packaging:

The Polyurethane Sandwich Panels are carefully packed in bundles and wrapped with protective materials to prevent any damage during transportation. The bundles are then secured onto pallets for easy handling and transportation.

Product Shipping:

We offer shipping services for the Polyurethane Sandwich Panels to any location globally. The shipment will be arranged within 3-5 business days after the order has been confirmed. The delivery time may vary depending on the destination, but we strive to make sure that the panels are delivered to your doorstep as soon as possible.

FAQ:

FAQs about BAODU Polyurethane Sandwich Panel:

Q: What is the brand name of this product?

A: The brand name of this product is BAODU.

Q: Where is the place of origin of this product?

A: The place of origin of this product is Hebei, China.

Q: What is the certification of this product?

A: This product is certified with CE.

Q: What are the payment terms for this product?

A: The payment terms for this product are L/C, D/A, D/P, T/T, Western Union, and MoneyGram.

Q: What is the delivery time for this product?

A: The delivery time for this product is 15 days.



Baodu International Advanced Construction Material Co., Ltd.



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing