

50 Mm Wire Mesh Stone Wool Roll Rock Mineral Wool Felt Soundproofing Rock Mineral Wool Blanket

Our Product Introduction

for more products please visit us on baodupanel.com

Basic Information

- Place of Origin: Hebei, China
- Brand Name: BAODU
- Certification: CE
- Model Number: Rockwool
- Minimum Order Quantity: Discussible
- Price: \$5-Discussible
- Packaging Details: Standard export waterproof package, suit for all kinds of transport, or as required
- Delivery Time: 15days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 Square Meters per Day



Product Specification

- Product Name: 50 Mm Wire Meshed Stone Wool Roll Rock Mineral Wool Felt Soundproofing Rock Mineral Wool Blanket
- Fiber Diameter: 7+/-1 Um
- Insect Resistance: Non-attractive To Insects
- Water Repellency: Non-hygroscopic
- Fire Resistance: Class A1
- Durability: Long-lasting
- Installation: Easy To Install
- Sustainability: Made From Natural And Recycled Materials
- Sound Absorption: Up To 1.0 NRC
- Size: 1.2*0.6
- Highlight: **50 mm mineral wool blanket,**
soundproofing mineral wool blanket



Product Description

50 mm wire meshed stone wool roll rock mineral wool felt soundproofing rock mineral wool blanket

Product Description:

BAODU Stone wool blanket is made from natural rocks such as basalt and limestone. The rocks are melted in a cupola at temperature of >1450 °C, and the molten lava is fiberized by a spinner. The inorganic fibers are bonded together using a thermosetting resin to form the final product which is cut into suitable sizes for easy handling and installation.

STONE WOOL blanket is widely used in public, commercial and residential buildings as well as industrial plants, for applications such as roofing, external wall, partition wall and floating floor to provide fire protection, thermal insulation, acoustic control and condensation control.

Technical Parameters:

Technical Data		
Properties	Blanket	Standards
Density Tolerance	±10%	GB/T 19686-2005
Fire Performance	Non-Combustible	GB/T 5464-1999
	Reaction to fire Class A1	GB/T 8624-2006
Thermal Conductivity(W/mK,at70±5°C)	≤0.044	GB/T 10295
Fiber Diameter	7(+/-1)um	GB/T 5480. 4
Shot Content(shot size>0.25mm)	≤12%	-
Moisture Content	≤0.5%	-
Organic Matter Content	≤4%	-
Melting Point	>1000°C	-

Applications:

Another common use for Rockwool insulation is for thermal insulation in buildings. This product can help to reduce energy costs by keeping heat inside during the winter and outside during the summer. It can be used in walls, roofs, and floors to provide a high level of thermal insulation.

Rockwool insulation is also water-repellent, making it ideal for use in damp environments such as basements and crawl spaces. It is resistant to mold and mildew growth, which helps to maintain a healthy indoor environment.

Overall, the BAODU Rockwool product is a versatile and high-quality building material that can be used in a variety of applications. Whether you need sound insulation, thermal insulation, or moisture resistance, this product is an excellent choice. With a supply ability of 5000 square meters per day, it is readily available for your building needs.

Customization:

The packaging details for the Rockwool roll are designed to ensure the product's safety during transportation. The standard export waterproof package is suitable for all kinds of transport, or you can opt for a customized package that meets your specific requirements. The delivery time for the product is 15 days, and you can choose from several payment terms, including L/C, D/A, D/P, T/T, Western Union, and MoneyGram.

The Rockwool roll is highly durable, ensuring that it lasts for a long time, even in harsh conditions. It comes in various thicknesses, ranging from 30-100, making it suitable for different insulation purposes. Additionally, the product is made from natural and recycled materials, making it sustainable and environmentally friendly. It also has non-hygroscopic water repellency, ensuring that it maintains its insulation properties even in damp conditions. The product's melting point is above 1000 °C, making it safe to use in high-temperature environments.

With a supply ability of 5000 Square Meters per Day, you can rest assured that you will get your customized order on time. Order your Rockwool 120kg m3 today and enjoy its excellent insulation properties.

Support and Services:

Rockwool offers technical support and services for their products, including:

[Product selection guidance](#)

[Installation advice and guidance](#)

[Performance testing and verification](#)

[Training and education](#)

[Project-specific consultation](#)

Rockwool also provides resources such as product documentation, technical data sheets, and installation guides to assist with product selection and installation.

Packing and Shipping:



Product Packaging:

The Rockwool product is packaged in compressed rolls and slabs, wrapped in plastic packaging to ensure protection during transportation.

Shipping:

We offer nationwide shipping for our Rockwool product. The product will be shipped via a reliable carrier, ensuring timely and safe delivery to your doorstep.

Project Case:

1. Quality: imported equipment from Germany and Switzerland, professional workers who have been engaged in more than ten years, have their own research and development department, and fully meet the use standards of various countries.
2. Customized service: We arrange special person to connect according to customer needs, one-to-one service.
3. Technical support:Activity room: We provide online guidance and installation services by dedicated personnel, as well as after-sales team service 24/7.Workshop: We have nearly 50 professional engineers who can go abroad to provide technical support and guidance until all problems are solved for our customers.
4. International trade operation: We have been focusing on international trade in the construction industry for more than ten years and have accumulated various experiences from different customers in different countries. So we can keep our operations up to date with our customers and new rules.Helps in customs clearance and saves cost and time for our customers.

FAQ

Q: What is the brand name of this product?

A: The brand name of this product is BAODU.

Q: What is the model number of this product?

A: The model number of this product is Rockwool.

Q: Where is this product made?

A: This product is made in Hebei, China.

Q: Does this product have any certification?

A: Yes, this product is CE certified.

Q: What is the minimum order quantity for this product?

A: The minimum order quantity for this product is discussible.

Q: What is the price range for this product?

A: The price range for this product is \$5-discussible.

Q: How is this product packaged?

A: This product is packaged in standard export waterproof package, suitable for all kinds of transport, or as required.

Q: What is the delivery time for this product?

A: The delivery time for this product is 21 days.

Q: What are the payment terms for this product?

A: The payment terms for this product are L/C, D/A, D/P, T/T, Western Union, and MoneyGram.

Q: What is the supply ability of this product?

A: The supply ability of this product is 5000 square meters per day.



Baodu International Advanced Construction Material Co., Ltd.



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing

