

Resistant Most Chemicals Glass Wool Blanket 25-200mm Thermal Conductivity Type Fibers Roof Insulation With Fsk Foil

Our Product Introduction

Basic Information

- Place of Origin: Hebei, China
- Brand Name: BAODU
- Certification: CE
- Model Number: Glasswool
- Minimum Order Quantity: Discussible
- Price: Reasonable
- Packaging Details: Standard export waterproof package, suit for all kinds of transport, or as required
- Delivery Time: 15days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 5000 Square Meters per Day



Product Specification

- Product Name: Resistant To Most Chemicals Glasswool Blanket 25-200mm Thermal Conductivity Type Fibers Roof Insulation With Fsk Foil
- Brand: BAODU
- Moisture Resistance: Non-hygroscopic
- Package: Vacuum Packing/Shrink Bag/woven Bag
- Performance: Fireproof/Thermal Insulation/Noise Absorption
- OEM: Accept
- Thermal Conductivity: 0.034-0.044 W/mK
- Material: Fiberglass, Glass Fiber
- Average Fiber Diameter: 5-8μm
- Color: Yellow
- Highlight: Chemical Resistant glass wool blanket



for more products please visit us on baodupanel.com

Product Description

Resistant To Most Chemicals Glasswool Blanket 25-200mm thermal conductivity type fibers roof insulation with fsk foil

Product Description:

Glass wool roll insulation is designed to economically improve both the noise control and thermal performance of wood structure. it is intended for use in both open applications, such as the floor of vented attics, and in closed cavity applications, such as walls and floors between stories of a house. Glass wool roll insulation is designed to economically improve both the noise control and thermal performance of wood structure. it is intended for use in both open applications, such as the floor of vented attics, and in closed cavity applications, such as walls and floors between stories of a house.

Features:

- 1 Unique technology, after compressive packing, the rebound degree is up to 99.2%;
- 2 Soft and long glass fibers can maximally lessen flying catkins in the construction;
- 3 Easy for construction and cut at will;
- 4 Sound absorption and noise reduction;
- 5 Antisepsis, ageing resistance, anticorrosion, ensure a healthy environment;
- 6 Grade A1 incombustible materials;
- 7 Low moisture absorption and stable physical properties;



Technical Parameters:

Item	Unit	Index	Standard
Density	kg/m	10-96	GB/T 5480.3
Average fiber dia	μm	5-8	GB/T 5480.4
Water content	%	≤1	GB/T 16400-2003
Grade of combustibility		Non-combustible Grade A	GB/T 8624-2012
Reshrinking temp	°C	250-400	GB/T 11835-2007
Thermal conductivity	w/m-k	0.034-0.062	GB/T 10294
Hydrophobi	%	≥98	GB/T 10299
Moisture rate	%	≤5	GB/T 5480.7
Sound absorption coefficient		1.03 1.03 PRODUCT REVERBERATION METHOD 24kg/m³ 2000HZ	GBJ47-83
Slag inclusion content	%	≤0.3	GB/T 5480.5

Applications:

Glass wool blanket are widely used in industrial plants, warehouse, public facilities, exhibition centers, shopping centers, cold stores and a variety of indoor playground, sports grounds and other buildings

Glass wool board is processed by putting the thermosetting binder into glass wool by pressing, heating, curing, used for insulation, ventilation, ventilation, adjustment of air-conditioner in commercial industry and residential constructions.

Customization:

Our product customization services for BAODU Glasswool include:

Brand Name: BAODU

Model Number: Glasswool

Place of Origin: Hebei, China

Certification: CE

Minimum Order Quantity: Discussible

Price: Reasonable

Packaging Details: Standard export waterproof package, suit for all kinds of transport, or as required

Delivery Time: 15 days

Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram

Supply Ability: 5000 Square Meters per Day

Product Name: Glasswool

Moisture Resistance: Non-hygroscopic

Application: Insulation For Walls, Ceilings, And Floors

Length: Customized

We offer customizable glasswool blanket products for insulation purposes. Our glasswool insulation is made of high-quality materials and is perfect for walls, ceilings, and floors. Our products are non-hygroscopic, ensuring excellent moisture resistance. Contact us to discuss your minimum order requirements and get reasonable pricing. Our standard export waterproof packaging ensures safe transport of goods. We accept various payment terms including L/C, D/A, D/P, T/T, Western Union, and MoneyGram. With a supply ability of 5000 square meters per day, we can ensure timely delivery to meet your project requirements.

Support and Services:

Our Glasswool product comes with comprehensive technical support and services to ensure that our customers are satisfied with their purchase. Our team of experts are available to answer any questions regarding installation, maintenance, and performance of the product. We also offer customized solutions to meet specific project requirements. Our services include on-site inspections, product training, and technical consultations. We strive to provide our customers with high-quality support and services to ensure that our Glasswool product performs at its best.

Packing and Shipping:

Product Packaging:

The Glasswool product will be securely packed in a high-quality, durable packaging material to ensure that it arrives at your doorstep in perfect condition.

The packaging will be clearly labeled with the product name, quantity, and any other relevant information.

Instructions for handling and installation will be included in the packaging.

Shipping:

The Glasswool product will be shipped via a reputable carrier to ensure timely and safe delivery.

Shipping fees may apply and will be calculated based on the destination and weight of the product.

You will receive a shipment tracking number once the product has been dispatched.

Please inspect the product upon delivery and notify us immediately of any damages or defects.

FAQ:

Here are some frequently asked questions about BAODU Glasswool:

Q: What is BAODU Glasswool?

A: BAODU Glasswool is a type of thermal insulation material made from glass fibers.

Q: Where is BAODU Glasswool produced?

A: BAODU Glasswool is produced in Hebei, China.

Q: Is BAODU Glasswool certified?

A: Yes, BAODU Glasswool is CE certified.

Q: What is the minimum order quantity for BAODU Glasswool?

A: The minimum order quantity for BAODU Glasswool is discussible.

Q: What are the payment terms for BAODU Glasswool?

A: The payment terms for BAODU Glasswool are L/C, D/A, D/P, T/T, Western Union, and MoneyGram.

Q: What is the delivery time for BAODU Glasswool?

A: The delivery time for BAODU Glasswool is 15 days.

Q: What is the supply ability for BAODU Glasswool?

A: The supply ability for BAODU Glasswool is 5000 square meters per day.

Q: What is the packaging for BAODU Glasswool?

A: BAODU Glasswool is packaged in standard export waterproof packages that are suitable for all kinds of transport.

Q: What is the price of BAODU Glasswool?

A: The price of BAODU Glasswool is reasonable.



Baodu International Advanced Construction Material Co., Ltd.



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing