

Punching Customized Metal Structure Stainless Steel I Beam Surface Treatment And Fabrication

Our Product Introduction

for more products please visit us on baodupanel.com

Basic Information

- Place of Origin: Hebei,China
- Brand Name: BAODU
- Model Number: Steel Beam
- Minimum Order Quantity: Discussible
- Price: Reasonable
- Packaging Details: GB standard steel i beam 1. It can pack by container or bulk vessel. 2. 20ft container can load 25 tons, 40ft container can load 26 tons. 3.Standard export seaworthy package, it use wire rod with bundle according product's size. 4.We can make it as your re
- Delivery Time: 21days
- Payment Terms: L/C, D/A, D/P, T/T, Western Union, MoneyGram
- Supply Ability: 50000 Ton/Tons per Month 15000T/per season,steel i beam



Product Specification

- Product Name: Structural I Beam Stainless Steel I Beam Metal Structure Steel Beams Surface Treatment And Fabrication
- Processing Service: Punching,Cutting,Welding
- Surface: Oiled, Sand Blasting, Galvanizing, Painting,as Your Request.
- Length: 1--12m Or As Request
- Keyword: STEEL BEAM
- Strength: High
- Size: 100mm*68mm-900mm*300mm
- Material: Steel
- Highlight: Customized stainless steel i beam, Punching stainless steel i beam, Customized structural i beam

Product Description

Structural I Beam Stainless Steel I Beam Metal Structure Steel Beams Surface Treatment And Fabrication

Product Description:

Our I beam steel is made from top-quality stainless steel, ensuring maximum strength and durability for even the toughest construction applications. With a range of sizes available from 100mm*68mm to 900mm*300mm, you can easily find the perfect fit for your project. Our stainless steel beam 304 price is highly competitive, giving you the best value for your investment. Plus, with its fire-resistant properties, you can rest assured that your structure will be safe and secure. Installation is simple and straightforward, thanks to our welding method. And with customizable marking options, you can ensure that your steel beam meets all of your project specifications. Trust in our stainless steel H beam for the strength and reliability you need to get the job done right. Contact us today to learn more about our products and pricing.

Features:

Product	I Beam Universal beam for construction
Thickness	Web thickness 4.5MM to 17MM ;Flange 7.6MM to 22MM (11.261KG/M to 141.189KG/M)
Flange Width	68MM to 180MM
Web Height	100MM to 630MM
Length	6M ,9M, 12M
Fabrication	Cutting,Hole punching,Welding, Galvanized, Paint
Surface	Carbon black, Mild steel
Offer Standards	ASTM A36, A572-GR50 JIS SS400 EN S235JR, S355JR, S355J2
Inspection	Mill test certificate along with cargos, and TPI test also acceptable

Technical Parameters:

GB Standard size			
Size (MM) H*B*T*W	theoretical weight (KG/M)	Size (MM) H*B*T*W	theoretical weight (KG/M)
100*68*4.5*7.6	11.261	320*132*11.5*15	57.741
120*74*5*8.4	13.987	320*134*13.5*15	62.765
140*80*5.5*9.1	16.890	360*136*10*15.8	60.037
160*88*6*9.9	20.513	360*138*12*15.8	65.689
180*94*6.5*10.7	24.143	360*140*14*15.8	71.341
200*100*7*11.4	27.929	400*142*10.5*16.5	67.598
200*102*9*11.4	31.069	400*144*12.5*16.5	73.878
220*110*7.5*12.3	33.070	400*146*14.5*16.5	80.158
220*112*9.5*12.3	36.524	450*150*11.5*18	80.420
250*116*8*13	38.105	450*152*13.5*18	87.485
250*118*10*13	42.030	450*154*15.5*18	94.550
280*122*8.5*13.7	43.492	560*166*12.5*21	106.316
280*124*10.5*13.7	47.890	560*168*14.5*21	115.108
300*126*9	48.084	560*170*16.5*21	123.900
300*128*11	52.794	630*176*13*22	121.407
300*130*13	57.504	630*178*15*22	131.298
320*130*9.5*15	52.717	630*180*17*22	141.189
European Standard size			
100*55*4.1*5.7	8.100	300*150*7.1*10.7	42.200
120*64*4.4*6.3	10.400	330*160*7.5*11.5	49.100
140*73*4.7*6.9	12.900	360*170*8*12.7	57.100
160*82*5*7.4	15.800	400*180*8.6*13.5	66.300
180*91*5.3*8	18.800	450*190*9.4*14.6	77.600
200*100*5.6*8.5	22.400	500*200*10.2*16	90.700
220*110*5.9*9.2	26.200	550*210*11.1*17.2	106.000
240*120*6.2*9.8	30.700	600*220*12*19	122.000
270*135*6.6*10.2	36.100		

Applications:

One of the great things about the Steel Beam product is the range of sizes available. With sizes ranging from 100mm*68mm to 900mm*300mm, you can find the perfect size to fit your needs. Whether you're building a small structure or a large-scale project, you can be sure that the Steel Beam will provide the strength and support you need.

Another great feature of the Steel Beam is its ease of installation. The installation method is welding, which means that it's quick and simple to install, but also ensures that the beam is securely in place. This makes it an ideal choice for construction projects where time is of the essence.

One of the best things about the Steel Beam is that it's incredibly versatile. It can be used in a variety of different applications, from building supports to framework for large-scale structures. This means that no matter what your project requires, the Steel Beam is sure to be a great choice.

If you're looking for a high-quality steel h beam that is both strong and affordable, then the BAODU Steel Beam is the perfect choice. With a reasonable price and a minimum order quantity that is discussible, it's easy to get the quantity you need without breaking the bank. When it comes to packaging, the Steel Beam is packaged according to GB standards. It can be packed by container or bulk vessel, and a 20ft container can hold up to 25 tons, while a 40ft container can hold up to 26 tons. The package uses wire rod with a bundle according to the product's size, but it can also be customized to meet your specific needs.

Support and Services:

Our Steel Beam product comes with comprehensive technical support and services to ensure optimal performance and customer satisfaction. Our team of experts is available to assist with any inquiries related to installation, maintenance, and troubleshooting. We also

offer training programs and resources to help customers maximize the efficiency and longevity of their Steel Beam product. In addition, we provide repair and replacement services, as well as regular maintenance programs to extend the life of the product and prevent any potential issues. Our commitment to quality and customer service is at the forefront of all our technical support and services for the Steel Beam product.

Packing and Shipping:

Product Packaging:

The steel beam product will be packaged in a sturdy wooden crate to ensure safe transport. The crate will be securely fastened and labeled with the product name and specifications. Inside the crate, the steel beam will be wrapped in protective material to prevent any damage during shipping.

Shipping Information:

We use trusted shipping carriers to ensure timely and safe delivery of our products. The steel beam product will be shipped via a freight carrier. Once the order is placed, we will provide tracking information so that you can track your shipment. Delivery times may vary depending on your location.

FAQ:

Q: What is the brand name of this product?

A: The brand name of this product is BAODU.

Q: What is the model number of this product?

A: The model number of this product is Steel Beam.

Q: Where is this product manufactured?

A: This product is manufactured in Hebei, China.

Q: What is the minimum order quantity for this product?

A: The minimum order quantity for this product is discussible.

Q: What are the payment terms for this product?

A: The payment terms for this product include L/C, D/A, D/P, T/T, Western Union, and MoneyGram.

Q: What is the supply ability of this product?

A: The supply ability of this product is 50000 Ton/Tons per month, or 15000T/per season, steel i beam.

Q: What is the price of this product?

A: The price of this product is reasonable.

Q: What are the packaging details for this product?

A: The packaging details for this product include: GB standard steel i beam, it can pack by container or bulk vessel. 20ft container can load 25 tons, 40ft container can load 26 tons. Standard export seaworthy package, it uses wire rod with bundle according to the product's size. We can make it as per your requirement.

Q: What is the delivery time for this product?

A: The delivery time for this product is 21 days.



Baodu International Advanced Construction Material Co., Ltd.



+86 13717927965



chunlei.song@baodu.com



baodupanel.com

Room 1101, Building 6, Yard 9, Hongye Road, Daxing District, Beijing